

# Eaton AHCL2220R

Catalog Number: AHCL2220R

Eaton Arrow Hart Color Coded Locking Receptacle, #14-8 AWG, 20A, Industrial, 3ØY 277/480 V, Red, Black, Ultra grip, Glass filled Nylon, L22-20, Four-pole, Five-wire, Glass-filled Nylon, -40°C (w/o impact) to 70°C (-40°F to 158°F)

## General specifications

<b>Product Name</b>	<b>Catalog Number</b>
Eaton Arrow Hart Color Coded Locking Receptacle	AHCL2220R
	<b>UPC</b>
	032664758638
<b>Product Length/Depth</b>	<b>Product Height</b>
1.62 in	3.64 in
<b>Product Width</b>	<b>Product Weight</b>
1.06 in	0.33 lb
<b>Compliances</b>	<b>Certifications</b>
RoHS Compliant	CSA Certified
NAFTA	UL Listed
	NOM
	Federal Specification Classification 6233 01

## defaultTaxonomyAttributeLabel

### Special features

Voltage Color Coding

### Type

Locking Receptacle

### Amperage Rating

20A

### Voltage rating

3ØY 277/480 V

### Application

Industrial

### Wiring method

Back and side

### Number of wires

5

### Number Of Poles

Four-pole

### Color

Red

Black

### Material

Glass filled nylon

### Operating temperature

-40 to 70 °C (-40 to 158 °F)

### Allowable wire size

#14-8 AWG

### NEMA configuration

L22-20

### Torque rating

20 lbf-inch

### Design type

Ultra grip

### Face/body material

Glass filled nylon

## Resources

### Multimedia

[Arrow Hart industrial color coded locking devices](#)

[Eaton Arrow Hart color coded locking devices](#)

### Specifications and datasheets

[Eaton Specification Sheet - AHCL2220R](#)



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)