

## Main

Range Compatibility	Lexium 62 ILM Lexium 32i Lexium 52 Lexium 62 Lexium 32
Product or Component Type	Adaptation kit
Device short name	GBK
Accessory / separate part category	Adaptation accessory
Product Compatibility	SH3 BMH MH3 BMI BSH ILM
Accessory / separate part destination	For assembly motor and gearbox
Kit composition	Screws and bolts for mounting An adaptor plate A shaft end adaptor
Gearbox external diameter	2.36 in (60 mm)

## Complementary

Motor flange size	2.76 in (70 mm)
Number of motor stacks	1 2
Length	0.63 in (16.1 mm)
Net Weight	0.44 lb(US) (0.2 kg)

## Ordering and shipping details

Category	18283-NEUGART GEARBOXES
Discount Schedule	PC53
GTIN	3606480397783
Returnability	No
Country of origin	DE

## Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.74 in (9.500 cm)
Package 1 Width	7.28 in (18.500 cm)
Package 1 Length	7.87 in (20.000 cm)
Package 1 Weight	8.96 oz (254.000 g)
Unit Type of Package 2	P06
Number of Units in Package 2	50
Package 2 Height	29.53 in (75.000 cm)
Package 2 Width	23.62 in (60.000 cm)
Package 2 Length	31.50 in (80.000 cm)
Package 2 Weight	57.54 lb(US) (26.100 kg)


## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS Declaration</a>
RoHS exemption information	<a href="#">Yes</a>
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Circularity Profile	No need of specific recycling operations
PVC free	Yes

## Contractual warranty

Warranty	18 months
----------	-----------

Dimensions



(1) Gearbox

Ø8 shaft end adaptor in case motor shaft diameter is smaller than gearbox input coupling diameter

Values in mm

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
16.1	70	M5	82	14 x 11 x 20

Values in in.

a	c	Ø6	Ø7	Ø8 (outer diameter x inner diameter x length)
0.63	2.76	M5	3.23	0.55 x 0.43 x 0.79