

J250S

Circuit breaker enclosure, PowerPacT H/J, 15A to 250A, NEMA 1, surface mount, 14.36in W x 31.36in H x 6in D



Main

Breaker Compatibility	Circuit breaker H-Frame 15...250 A Circuit breaker J-Frame 15...250 A
-----------------------	--

Complementary

Height	31.36 in (796.54 mm)
Width	14.36 in (364.74 mm)
Depth	6 in (152.40 mm)

Environmental

NEMA Degree of Protection	NEMA 1
---------------------------	--------

Ordering and shipping details

Category	00030-IND CB ENCL NEMA 1,3R
Discount Schedule	DE1
GTIN	785901568049
Returnability	Yes
Country of origin	MX

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	6.90 in (17.526 cm)
Package 1 Width	15.20 in (38.608 cm)
Package 1 Length	33.20 in (84.328 cm)
Package 1 Weight	35.70 lb(US) (16.195 kg)
Unit Type of Package 2	PAL
Number of Units in Package 2	20
Package 2 Height	40.00 in (101.6 cm)
Package 2 Width	40.00 in (101.6 cm)
Package 2 Length	48.00 in (121.92 cm)
Package 2 Weight	714.08 lb(US) (323.901 kg)

Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Compliant EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations
PVC free	Yes
Halogen content performance	Halogen free plastic parts product

Contractual warranty

Warranty	18 months
----------	-----------

J250S

Technical drawings of J250S and J250F covers. The drawings include dimensions in inches and millimeters, and labels for various features.

J250S Dimensions:

- Top: $\varnothing .25$ [6], $\varnothing .50$ [12], .38 [10], AA (2 HOLES)
- Width: 14.35 [365]
- Height: 31.43 [798]
- Internal dimensions: 5.95 [151], 27.00 [686], 13.50 [343], 2.18 [55], 11.90 [302], 1.23 [31]
- Bottom: 15.42 [392]
- Labels: DASHED LINES INDICATE SURFACE COVER, C,E,F,G,H, SEE COVER OPENING DETAILS, $\varnothing .28$ [7] (2 HOLES)

J250F Dimensions:

- Height: 32.50 [826]
- Width: 15.42 [392]

Side View Dimensions:

- Top: 5.96 [151], 1.85 [47], 2.85 [72]
- Internal dimensions: 2.98 [76] FROM MTG SURFACE, 25.30 [643], 13.50 [343], 2.85 [72]
- Bottom: 31.00 [787]
- Labels: C,E,F,G,H

Top View Dimensions:

- Left: .25 [6], 2.08 [53]
- Right: 1.25 [32], 3.10 [79], .08 [2]
- Bottom: 9.25 [235], 2.37 [60]
- Width: 14.00 [356]
- Labels: C,E,F,G,H, HASP OFFSET

Knockouts Table:

SYMBOL	CONDUIT SIZE		DIAMETER	
	IN	MM	IN	MM
C	1.00	25	1.38	35
E	1.50	38	2.00	51
F	2.00	51	2.50	64
G	2.50	64	3.00	76
H	3.00	76	3.63	92

H150 AND CJ250NS COVER OPENING

J250 COVER OPENING WITH TRIP SETTING ACCESS