

Product data sheet

Characteristics

VW3A1006

remote terminal, Altivar, for variable speed drive, IP54



Main

Range of Product	Altivar
Accessory / separate part type	Remote terminal
Accessory / separate part category	Display and signalling accessory
Accessory / separate part destination	Variable speed drive
Range Compatibility	Altivar Machine ATV320 Altivar 32 Altivar 12 Easy Altivar 310 Altivar 312 Solar Altivar 312
IP Degree of Protection	IP54

Complementary

Mounting Location	Door of enclosure
Net Weight	0.55 lb(US) (0.25 kg)

Ordering and shipping details

Category	22042-ATV12 DRIVE AND ACCESSORIES
Discount Schedule	CP4B
GTIN	3606480074813
Returnability	Yes
Country of origin	CN

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.81 in (4.6 cm)
Package 1 Width	2.64 in (6.7 cm)
Package 1 Length	3.43 in (8.7 cm)
Package 1 Weight	2.33 oz (66.0 g)
Unit Type of Package 2	S03
Number of Units in Package 2	90
Package 2 Height	11.81 in (30.0 cm)
Package 2 Width	11.81 in (30.0 cm)
Package 2 Length	15.75 in (40.0 cm)
Package 2 Weight	14.83 lb(US) (6.725 kg)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACH Regulation	REACH Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
China RoHS Regulation	China RoHS Declaration

RoHS exemption information

 Yes

Circularity Profile

No need of specific recycling operations

Contractual warranty

Warranty

18 months

Dimensions

