



**Product Family**

**NorthFlex Cold Grip Plus 5™**

Cold Weather Performance with double the protection! Cold Grip Plus 5 provides a high-level of cut, slash as well as cold weather protection. This flexible, dipped glove is constructed of a highly cut-resistant fiber blend outer shell and brushed acrylic thermal inner. Foam PVC coating is 3/4 dipped to cover more surface area to help inhibit liquid penetration.



by Honeywell

**Product Numbers & Ordering Information**

**Packaging Information**

12 pair per pack, 72 pair per case

**Overview**

**Key Features**

- Double layer construction provides a high-level cut-resistant outer shell and thermal inner
- Outer shell is a 15 gauge seamless knit, lightweight and thin for excellent dexterity
- Foamed PVC coating has excellent abrasion resistance and grip to help keep hands from slipping over surfaces in wet or dry environments
- High-visibility orange shell increases worker awareness in low-light environments
- PVC coating extends over knuckles to help prevent liquid penetration as well as add protection from knuckle abrasions
- Thermal interior is soft and provides extra cushion for palms of hand
- Gloves retain flexibility, even at low temperatures
- Recommended for temperatures down to -15° F (-26° C)
- EN511 Level 0 permeability to water (Level 0 = water permeation after 30 minutes)
- ANSI cut level 4 and EN511 level 2 resistance to contact cold

**Recommended Industries/Use**

- Agriculture
- Construction
- Food Services
- Manufacturing
- Steel and Metals

**Hazards**

- Abrasion
- Cut / Puncture
- Thermal

**Regulations**

- ANSI/ISEA 105 - ASTM D3389-05 Abrasion Test
- ANSI/ISEA 105 - ASTM F1790-97 Cut Test
- EN388 - Mechanical risks from abrasion, cut, tear and puncture
- EN420 - General Requirements - This standard defines the general requirements for protective gloves in terms of construction, fitness of purpose and safety.
- OSHA Standard -29 CFR 1915.157 - The employer shall ensure that each affected employee uses appropriate hand

protection and other protective clothing where there is exposure to hazards such as skin absorption of harmful substances, severe cuts or lacerations, severe abrasions, punctures, chemical burns, thermal burns, harmful temperature extremes, and sharp objects.

### Warranty Information

LIMITED WARRANTY. Except for any warranty for a particular product or part specifically stated in our product literature, we warrant all goods sold under this agreement against defects in materials and workmanship for one year from shipment. In the event of such defects, we will, at our sole option and as your exclusive remedy, repair or replace the defective product without charge, or refund the price you have paid. In order for this warranty to be effective, you must notify us within 15 days of discovery of the defect. you must return the defective product to us within the warranty period, properly packaged and with insurance and transportation costs prepaid. We will reship the product to you at our expense in the United States. Products will conform to Honeywell published specifications if properly used and maintained and will be free from defects in materials and/or workmanship. no changes to Honeywell published specifications will be valid without Honeywell written consent. This warranty does not cover defects which we determine are because of accident, alteration, modification, negligence, misuse, abuse failure to perform adequate maintenance, or normal wear and tear.

## Specifications

### ANSI Cut Level

- 4

### EN388 Cut Level

- 5

### EN511 Permeability to water

- 0

### EN511 Resistance to Contact Cold

- 2

### Ambidextrous or Hand Specific

- Hand specific

### Coating

- Foamed PVC

### Coating Color

- Black

### Coating Pattern

- Full palm, 3/4 fingers

### Construction

- Two layer, seamless knit, dipped

### Cuff

- Knit

### Gauge / mil

- Heavyweight

### Glove Type

- Dipped, Thermal

### Length

- NA

### Liner

- NA

### Material

- Cut-resistant outer shell and thermal inner

### Material Color

- Orange/Black

### Overedge

- Green (XS), Red (S), Blue (M), Yellow (L), White (XL), Orange (XXL)

**Supported or Unsupported**

- NA

**Surface Finish**

- Sand finish

**Literature & Documents**

**NorthFlex Cold Grip Plus 5\_Brochure**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Gloves/Dipped/4294984313/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Dipped/4294984313/1033.aspx)

NorthFlex Cold Grip Plus 5 Brochure

Sell sheet with detailed product information.

**NorthFlex Cold Grip Plus 5\_Tech Data Sheet**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Gloves/Dipped/4294984314/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Gloves/Dipped/4294984314/1033.aspx)

NorthFlex Cold Grip Plus 5 Technical Data Sheet

**Additional Information**

Recommend for temperatures down to -15°F (-26°)

**Technical Support**

Technical Support is available Monday through Friday, 8:00 AM to 7:00 PM EST. 1.800.873.5242  
hsptechsupport@honeywell.com