

# Product data sheet

Specifications



## TRANSFORMER CURRENT 800:5

7RL801

! Discontinued on: 09 January 2023

**Product availability : Stock - Normally stocked in distribution facility**

! Discontinued

### Main

Product	General Purpose Current Transformer
Certifications	UL Recognized CSA
Ratio	800/5
Enclosure Type	NEMA 1
Phase	1 phase
Power Rating	12.5 VA 60 Hz 25 VA 400 Hz
Electrical Connection	Flying leads 24 in (609.60 mm), AWG 16
Opening Size	Ø 2.25 in

### Complementary

Net Weight	3.31 lb(US) (1.5 kg)
------------	----------------------

### Ordering and shipping details

Category	15500-CLASS 4210 CT'S (LC 5101)
Discount Schedule	PA1
GTIN	785901462309
Returnability	No
Country of origin	MX

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.95 in (7.501 cm)
Package 1 Width	1.30 in (3.31 cm)
Package 1 Length	2.80 in (7.12 cm)
Package 1 Weight	3.30 lb(US) (1.497 kg)

## Offer Sustainability

---

California proposition 65	WARNING: This product can expose you to chemicals including: Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
REACH Regulation	<a href="#">REACH Declaration</a>
REACH free of SVHC	Yes
EU RoHS Directive	Compliant <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
China RoHS Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
RoHS exemption information	<a href="#">Yes</a>
PVC free	Yes
Halogen content performance	Halogen free plastic parts product


## Contractual warranty

---

Warranty	18 months
----------	-----------

Dimensions

---



Recommended replacement(s)